



APPROVAL PROCESS 2024-25

Application Deficiency Report

DEFICIENCY REPORT AS PER APPLIED INTAKE (Applicable for Existing Institutions only)

| | | | |
|-------------------------|--------------------------------------|------------------------------------|--------------------------------------------|
| Regional Office | South-Central | Overall Deficiency of Institution: | No |
| Application ID | 1-43655326369 | Permanent ID | 1-5443411 |
| Name of the Institution | Sir C R Reddy College Of Engineering | Address | Vatluru Eluru West Godavari District |
| City/Village | Eluru | District | West Godavari |
| State | Andhra Pradesh | PIN | 534007 |

Director/Principal Details

| Designation | Name | Appointment Type | Qualification | PhD | Eligible as per AICTE Norms (YES/NO) |
|--------------------|---------------------------|------------------|-----------------------------------------|-----|--------------------------------------|
| Director/Principal | Venkateswararao Kondreddi | Regular | B.TECH., M.TECH., P.HD.(ENGINEERING) | Yes | Yes |

Other Details

| Sr. No. | Particulars | Status Provided by the Institution | Deficiency |
|---------|-------------------------------------------------------------------------------------------------------------------------------|------------------------------------|------------|
| 1. | List of Faculty Member and Data Uploaded on the Institution Web Portal | Yes | No |
| 2. | Are all Approved Teaching Faculty Member being Paid as per Present Pay VI/Scale/Commission? | Yes | No |
| 3. | Whether Institution is Operating from Permanent Site? | Yes | No |
| 4. | Fees to be Charged, Reservation Policy, Admission Policy and Document Retention Policy are Uploaded in Institution's Website? | Yes | No |
| 5. | Courses/Approved Intake Displayed at the Entrance of the Institution? | Yes | No |

Anti-Ragging Related Deficiency Status

| Sr. No. | Particulars | Status Provided by the Institution | Deficiency |
|---------|-----------------------------------------------------------------|------------------------------------|------------|
| 1. | Constitution of Anti-Ragging Committee | Yes | No |
| 2. | Constitution of Anti-Ragging Squad | Yes | No |
| 3. | Undertaking Obtained from all Students | Yes | No |
| 4. | Appointment of Counselors | Yes | No |
| 5. | Undertaking Obtained from Parents of all the Students | Yes | No |
| 6. | Undertaking Obtained from Students Staying in Hostel | Yes | No |
| 7. | Undertaking Obtained from Parents of Students Staying in Hostel | Yes | No |

Institution Level Faculty Member

| Sr. No. | Particulars | Actual No. | Required No. as per CI | Deficiency |
|---------|------------------------------|------------|------------------------|------------|
| 1. | Total Faculty(UG+PG+Diploma) | 220 | 200 | No |

Administrative Area

| Sr. No. | Particulars | Actual Room Area (Sq.m.) | Expected Room Area (Sq.m.) | Deficiency |
|---------|-------------|--------------------------|----------------------------|------------|
| | | | | |

15 MAR 2024

Date of Signature(dd/mm/yyyy)

Printed By : ae455441



Name & Signature of Director/Principal
[Signature]
Dr. K. VENKATESWARA RAO
Principal
Sir C.R.R.College of Engineering
ELURU - 534 007

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-15/03/2024

| | | | | |
|-------|-------------------------------------------|---------|--------|----|
| 1. | Board Room | 44 | 20 | No |
| 2. | Department Offices/Cabin for Head of Dept | 660 | 140 | No |
| 3. | Central Store | 64 | 30 | No |
| 4. | Exam Control Office | 248 | 30 | No |
| 5. | Housekeeping | 36 | 10 | No |
| 6. | Maintenance | 59 | 10 | No |
| 7. | Office All Inclusive | 450 | 300 | No |
| 8. | Placement Office | 90 | 30 | No |
| 9. | Principal Directors Office | 63 | 30 | No |
| 10. | Security | 11 | 10 | No |
| TOTAL | | 1725.00 | 610.00 | |

Amenities Area

| Sr. No. | Particulars | Actual Room Area (Sq. m.) | Expected Room Area (Sq. m.) | Deficiency |
|---------|-------------------------|---------------------------|-----------------------------|------------|
| 1. | Boys Common Room | 126 | 100 | No |
| 2. | Cafeteria | 488 | 150 | No |
| 3. | First aid cum Sick Room | 29 | 10 | No |
| 4. | Girls Common Room | 198 | 100 | No |
| 5. | Stationery Store | 21 | 10 | No |
| TOTAL | | 862.00 | 370.00 | |

Computational Facilities

| Sr. No. | Particulars | Available | Required | Deficiency |
|---------|------------------------|-----------|----------|------------|
| 1. | Printers | 44 | 22 | No |
| 2. | A1 size Color Printers | 0 | 0 | No |
| 3. | Legal Application S/W | 35 | 30 | No |
| 4. | Legal System S/W | 7 | 4 | No |
| 5. | PCs to Student ratio | 941 | 424 | No |

Library Facilities

| Sr. No. | Particulars | Available | Required | Deficiency |
|---------|-------------------------------|-----------|----------|------------|
| 1. | Volumes | 70520 | 32800 | No |
| 2. | Titles | 33646 | 6050 | No |
| 3. | Journals | 138 | 114 | No |
| 4. | Library Management Software | 1 | 1 | No |
| 5. | Reading Room Seating Capacity | 289 | 150 | No |
| 6. | MultiMediaPC | 30 | 10 | No |

Instructional Area-Common Facilities

| Sr. No. | Particulars | Available | Required | Deficiency |
|---------|------------------------|-----------|----------|------------|
| 1. | Computer Center | 564 | 450 | No |
| 2. | Library & Reading Room | 1264 | 950 | No |

15 MAR 2024

Date of Signature(dd/mm/yyyy)

Printed By : ae455441



Name & Signature of Director/Principal

[Signature]
DR. K. VENKATESWARA RAO
Principal
Sir C.R.R.College of Engineering
ELURU - 534 007

Application Deficiency Report



Application Status: **Submitted**
 Application Sub-Status: **Payment Received**

Report Generated on :-15/03/2024

| | | | | |
|--------------|---------------------|---------|---------|----|
| 3. | Language Laboratory | 182 | 33 | No |
| TOTAL | | 2010.00 | 1433.00 | |

Existing Programme / ENGINEERING AND TECHNOLOGY

| Sr. No. | Particulars | Level | Actual Room Area (Sqm) | Expected Room Area (Sqm) | Deficiency |
|--------------|---------------------|-------|------------------------|--------------------------|------------|
| 1. | Classroom | UG | 5656 | 2244 | No |
| 2. | Tutorial Room | UG | 796 | 297 | No |
| 3. | Seminar Hall | UG/PG | 870 | 132 | No |
| 4. | Additional Workshop | UG/PG | 225 | 200 | No |
| 5. | CAD Center | UG/PG | 1554 | 396 | No |
| 6. | Workshop | UG/PG | 650 | 600 | No |
| 7. | Laboratory | UG | 5985 | 3564 | No |
| 8. | Classroom | PG | 156 | 132 | No |
| 9. | Laboratory | PG | 649 | 330 | No |
| TOTAL | | | 16541.00 | 7895.00 | |

Existing Programme / MANAGEMENT

| Sr. No. | Particulars | Level | Actual Room Area (Sqm) | Expected Room Area (Sqm) | Deficiency |
|--------------|-----------------|-------|------------------------|--------------------------|------------|
| 1. | Computer Centre | UG/PG | 204 | 150 | No |
| 2. | Classroom | PG | 160 | 132 | No |
| 3. | Tutorial Room | PG | 39 | 33 | No |
| 4. | Seminar Hall | UG/PG | 210 | 132 | No |
| TOTAL | | | 613.00 | 447.00 | |

Other Facilities

| Sr. No. | Particulars | Availability | Deficiency |
|---------|----------------------------------------------------------|--------------|------------|
| 1. | All Weather Approach(Motorised Road) | Yes | No |
| 2. | Safety Provisions | Yes | No |
| 3. | Sewage Disposal System | Yes | No |
| 4. | Telephone | Yes | No |
| 5. | Vehicle Parking | Yes | No |
| 6. | First Aid | Yes | No |
| 7. | Appointment of Student Counselor | Yes | No |
| 8. | Establishment of Anti-Ragging Committee | Yes | No |
| 9. | Establishment of Committee for SC/ST | Yes | No |
| 10. | Establishment: Internal Committee(IC) | Yes | No |
| 11. | Establishment of Grievance Redressal Committee/OMBUDSMAN | Yes | No |
| 12. | Barrier free Enviroment | Yes | No |
| 13. | AICTE Approval Letters- EoA/LoA | Yes | No |
| 14. | Institution-Industry Cell | Yes | No |
| 15. | Digital Payment-Financial Transactions | Yes | No |

15 MAR 2024

Date of Signature(dd/mm/yyyy)

Printed By : ae455441



Name & Signature of Director/Principal

Dr. K. VENKATESWARA RAO
 Principal
Sir C.R.R.College of Engineering
ELURU - 534 007

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**


Report Generated on :-15/03/2024

| | | | |
|-----|----------------------------------------------------|-----|----|
| 16. | Food Safety and Standards | Yes | No |
| 17. | Insurance for Students | Yes | No |
| 18. | Online Grievance Rederssal Mechanism | Yes | No |
| 19. | Internal Quality Assurance Cell | Yes | No |
| 20. | Fire and Safety Certificate | Yes | No |
| 21. | Atleast 5 MoUs with industries | Yes | No |
| 22. | Display of info submitted to AICTE on website | Yes | No |
| 23. | General Insurance | Yes | No |
| 24. | Backup Electric Supply | Yes | No |
| 25. | Group accident policy for employees | Yes | No |
| 26. | Waste Management and a sustainable Green Campus | Yes | No |
| 27. | Display of Course(s) and Approved In entrance | Yes | No |
| 28. | Establishment of 24x7 Women helpline number | Yes | No |
| 29. | Establishment of platform for seeking help | Yes | No |
| 30. | Implementation of PARAKH | Yes | No |
| 31. | Institution Web Site-Mandatory Disclosure | Yes | No |
| 32. | Internship | Yes | No |
| 33. | Inbuilt mechanism for Social & Emotional Learning | Yes | No |
| 34. | Internship(Compulsory for all final year students) | Yes | No |
| 35. | Electives mandatorily through SWAYAM(MOOCs) | Yes | No |
| 36. | Earning credits through 'Skilling' based courses | Yes | No |
| 37. | Language Laboratory (for DIPLOMA & UG Course) | Yes | No |
| 38. | Medical & Counseling | Yes | No |
| 39. | Notice Boards | Yes | No |
| 40. | Potable Water Supply | Yes | No |

15 MAR 2024

Date of Signature(dd/mm/yyyy)

Printed By : ae455441



Name & Signature of Director/Principal

Dr. K. VENKATESWARA RAO
Principal
Sir C.R.R.College of Engineering
ELURU - 534 007

Application Deficiency Report



Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-15/03/2024

DECLARATION

BY THE AUTHORIZED SIGNATORY OF THE INSTITUTION/DEPARTMENT

I, as the Head of the Institution, hereby declare that:

- I have carefully gone through the AICTE Regulations 2021, published in the Gazette of India Extraordinary Part III, Section- 4 dated 04th February, 2021, also all provisions mentioned in the Approval Process Handbook 2024-25.
- I am fully aware of the data uploaded by me in respect of my Institution on the web portal.
- I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once submitted on the web portal.
- I am also aware that application for seeking Extension of Approval(EoA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women Institution into Co-ed Institution and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Handbook 2024-25.
- I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my Institution on the web portal.
- I am also aware that Institution is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2024-25), Increase in Intake/ Additional Course(s), Change in name of the Course(s)/ Reduction in Intake/ Closure of Programme(s) and/ or Course(s), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Handbook 2024-25.

Signature of Authorized Signatory


Name : Dr. K. Venkateswara Rao

Dr. K. VENKATESWARA RAO
Principal
Sir C.R.R.College of Engineering
ELURU - 534 007

15 MAR 2024

Date of Signature(dd/mm/yyyy)

Printed By : ae455441



Name & Signature of Director/Principal

Dr. K. VENKATESWARA RAO
Principal
Sir C.R.R.College of Engineering
ELURU - 534 007