

ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)

Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in




FEEDBACK ON FACILITIES

Name of the Stakeholder: Student

Academic Year: 2022-2023

S. No	Questionnaire	Feedback (%)
		100
1	Classrooms	99
2	Computer Labs	97
3	Wi-Fi and Internet Facilities	95
4	Canteen	97
5	Washrooms and Drinking Water	96
6	Extra-Curricular Activities	95
7	Co-Curricular Activities	96
8	Library	94
9	Transportation Availability	98
10	Overall Impression on the Institution	



IQAC Co-Coordinator



Principal Principal

Sir C R Reddy College of Engineering ELURU - 534 007



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada) Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in

IQAC

FEEDBACK ON FACILITIES

Name: G. Vyuhita	Contact No: 9490106477
	1,100011

/	- 1		+:
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	g	
No		1	2	3	4	5
1	Classrooms					/
2	Computer Labs				/	
3	Wi-Fi and Internet Facilities					/
4	Canteen				/	
5	Washrooms and Drinking Water					
6	Extra-Curricular Activities					~
7	Co-Curricular Activities			/		
8	Library					/
9	Transportation Availability				/	~
10	Overall Impression on the Institution					/

Sir C R Reddy College of Engineering ELURU - 534 007

SIGNATURE



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)
Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in



FEEDBACK ON FACILITIES

Name: G. Divak	Contact No:	7995952604

Student	Alumni	Parent	Staff

Scale	1	2	- 3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	g	
No		1	2	3	4	5
1	Classrooms				/	
2	Computer Labs					/
3	Wi-Fi and Internet Facilities					
4	Canteen	-				
5	Washrooms and Drinking Water				/	
6	Extra-Curricular Activities	1			/	
7	Co-Curricular Activities					
8	Library					/
9	Transportation Availability					
10	Overall Impression on the Institution					/

G. Divakar

SIGNATURE

COLLEGE OF ENGINE S34 007

SIr C R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)
Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in



FEEDBACK ON FACILITIES

Name: G. Jeevetha	Contact No: 90009 23468

Parent

Staff

Alumni

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratir	ıg	
No		1	2	3	4	5
1	Classrooms					1
2	Computer Labs					-
3	Wi-Fi and Internet Facilities					1
4	Canteen					
5	Washrooms and Drinking Water					
6	Extra-Curricular Activities			· ·		
7	Co-Curricular Activities					
8	Library				2.5%	V
9	Transportation Availability					
10	Overall Impression on the Institution				./	

ELURU 534 007 FR

Student

Sir C R Reddy College of Engineering ELURU - 534 007



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)
Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in



FEEDBACK ON FACILITIES

Name:	G. Tanujordevi	Contact No: 9963857257	_
	Of Turallocator	Contact 110. 9963831231	

/			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Rating	g	
No		1	2	3	4	5
1	Classrooms					1
2	Computer Labs					1
3	Wi-Fi and Internet Facilities				/	V
4	Canteen			/		
5	Washrooms and Drinking Water				/	
6	Extra-Curricular Activities				/	
7	Co-Curricular Activities			1		
8	Library			_	- 0	./
9	Transportation Availability			1		
10	Overall Impression on the Institution					/

COLLEGE ON ENGINEE STANDARD OF THE STANDARD O

Principal

Sir C R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada) Telephone No: 08812-230840, 230565, Fax: 08812-224193 Website: www.sircrrengg.ac.in

IQAC

FEEDBACK ON FACILITIES

Name:	G. Praveen	Contact No:	7396338991

Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	g	
No		1	2	3	4	5
1	Classrooms					
2	Computer Labs					N. de
3	Wi-Fi and Internet Facilities					
4	Canteen					
5	Washrooms and Drinking Water	-				
6	Extra-Curricular Activities					1/
7	Co-Curricular Activities					
8	Library					
9	Transportation Availability					
10	Overall Impression on the Institution					

G. Praveo

SIGNATURE

534 007

SIr C R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)
Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in



FEEDBACK ON FACILITIES

Name: G. Pavan Devarshan	Contact No: 7396052881

Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	g	
No		1	2	3	4	5
1	Classrooms					
2	Computer Labs					
3	Wi-Fi and Internet Facilities					
4	Canteen				7	
5	Washrooms and Drinking Water					
6	Extra-Curricular Activities					-
7	Co-Curricular Activities					
8	Library					
9	Transportation Availability					_
10	Overall Impression on the Institution					1

SIGNATURE

COLLEGE OS ELURU 534 007 PONTES

Principal
Sir C R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)

Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in



Minutes of IQAC Meeting in the Academic Year 2022-2023

Name of the Stakeholder: Student

To bring the Feedback analysis to their attention and ask if there was a chance for meaningful adjustments to be made to the college facilities, IQAC convened a meeting with all of the in-charges and HoDs under the Head of the Institution.

Students' feedback above 90% is considered **positive feedback** and below that is negative feedback and we are working for the environment.

S. No	Question	Feedback /Concern	Percentage Consensus	Action to be Taken
1	Classrooms	Excellent	100	We will Continue the same rigor to increase the output.
2	Computer Labs	Very Good	99	By taking the suggestions into account, our procedure will become more effective.
3	Wi-Fi and Internet Facilities	Very Good	98	We will Continue the same rigor to increase the output.
4	Canteen	Very Good	95	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
5	Washrooms and Drinking Water	Very Good	99	We will Continue the same rigor to increase the output.
6	Extra-Curricular Activities	Very Good	97	By taking the suggestions into account, our procedure will become more effective.
7	Co-Curricular Activities	Very Good	96	By taking the suggestions into account, our procedure will become more effective.
8	Library	Excellent	100	We will Continue the same rigor to increase the output.
9	Transportation Availability	Very Good	96	We value your comments. We'll increase process awareness and move quickly to take action.
10	Overall Impression on the Institution	Very Good	98	To retain the same production, we shall continue to exercise the same rigor.



Principal Principal

Sir C R Reddy College of Engineering ELURU - 534 007



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)

Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in




FEEDBACK ON FACILITIES

Name of the Stakeholder: Alumni

Academic Year: 2022-2023

S. No	Questionnaire	Feedback (%)
1	Classrooms	98
2	Computer Labs	99
3	Wi-Fi and Internet Facilities	99
4	Canteen	100
5	Washrooms and Drinking Water	97
6	Extra-Curricular Activities	95
7	Co-Curricular Activities	96
8	Library	100
9	Transportation Availability	94
10	Overall Impression on the Institution	99



IQAC Co-Coordinator



Principal
Principal
Principal

Sir C R Reddy College of Engineering ELURU - 534 007



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada) Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in

IQAC

FEEDBACK ON FACILITIES

Contact No: 9160263643

	/		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	g	
No		1	2	3	4	5
1	Classrooms					
2	Computer Labs				/	
3	Wi-Fi and Internet Facilities					
4	Canteen				/	
5	Washrooms and Drinking Water					/
6	Extra-Curricular Activities					
7	Co-Curricular Activities				/	
8	Library					-/
9	Transportation Availability					/
10	Overall Impression on the Institution					

Str C R Reddy College of Engineering ELURU - 534 007

Principal

Tusha Rane.



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)
Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in

IQAC

FEEDBACK ON FACILITIES

Name:	CM SRINIVAS	Contact No:	9491554464

Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	g	
No		1	2	3	4	5
1	Classrooms					1
2	Computer Labs					1/
3	Wi-Fi and Internet Facilities					
4	Canteen					1
5	Washrooms and Drinking Water				. /	
6	Extra-Curricular Activities					./
7	Co-Curricular Activities					
8	Library					/
9	Transportation Availability					. /
10	Overall Impression on the Institution .			i i		

COLLEGE OF ELURU 534 007 PRIS # SWIPE

Principal

Sir C R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)
Telephone No: 08812-230840, 230565, Fax: 08812-224193
Website: www.sircrrengg.ac.in

Delhi & IQAC

SIGNATURE

FEEDBACK ON FACILITIES

122	0 0		
Name:	G. Dampday	Contact No:	7306998662
			1300 1 300 1

Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	g	
No		1	2	3	4	5
1	Classrooms .			4		
2	Computer Labs					./
3	Wi-Fi and Internet Facilities					
4	Canteen				./	
5	Washrooms and Drinking Water					./
6	Extra-Curricular Activities					
7	Co-Curricular Activities				/	
8	Library			-	~	/
9	Transportation Availability					-
10	Overall Impression on the Institution					V

ELURU 534 007 GNGW

Principal

Sir C R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)
Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in

IQAC

FEEDBACK ON FACILITIES

Name: Akthay galmani	Contact No: 9346126416
15000	12 10100 110

Student	Alumni	Parent	Staff


Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	g	
No		1	2	3	4	5
1	Classrooms					/
2	Computer Labs .			138		
3	Wi-Fi and Internet Facilities					/
4	Canteen					
5	Washrooms and Drinking Water					
6	Extra-Curricular Activities					
7	Co-Curricular Activities					
8	Library					./
9	Transportation Availability				/	
10	Overall Impression on the Institution					./

COLLEGE OF ENGLISH STATE OF ST

Str C R Reddy College of Engineering ELURU - 534 007 SIGNATURE

AK-that salman:



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)
Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in



FEEDBACK ON FACILITIES

Name:	CH . KAMA	DEVA	Contact No:	9490999145
			1	1-10 1 111

	1/		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	g	
No		1	2	3	4	5
1	Classrooms			12	1	
2	Computer Labs				1	
3	Wi-Fi and Internet Facilities				1	
4	Canteen					
5	Washrooms and Drinking Water					/
6	Extra-Curricular Activities					- 54
7	Co-Curricular Activities				1	
8	Library					1
9	Transportation Availability					-
10	Overall Impression on the Institution					/

COLLEGE OF ENGINE

Sir C R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada) Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in



FEEDBACK ON FACILITIES

Name: K. Swath?	Contact No: 703226 4479

Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	ıg	
No		1	2	3	4	5
1	Classrooms					
2	Computer Labs					
3	Wi-Fi and Internet Facilities				_	
4	Canteen					_
5	Washrooms and Drinking Water					
6	Extra-Curricular Activities	_				
7	Co-Curricular Activities					
8	Library					
9	Transportation Availability					
10	Overall Impression on the Institution					

Principal

Sir CR Reddy College of Engineering ELURU - 534 007

SIGNATURE



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada) Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in



Minutes of IQAC Meeting in the Academic Year 2022-2023

Name of the Stakeholder: Alumni


To bring the Feedback analysis to their attention and ask if there was a chance for meaningful adjustments to be made to the college facilities, IQAC convened a meeting with all of the in-charges and HoDs under the Head of the Institution.

Students' feedback above 90% is considered positive feedback and below that is negative feedback and we are working for the environment.

S. No	Question	Feedback /Concern	Percentage Consensus	Action to be Taken
1	Classrooms	Very Good	98	We will Continue the same rigor to increase the output.
2	Computer Labs	Very Good	99	To retain the same production, we shall continue to exercise the same rigor.
3	Wi-Fi and Internet Facilities	Very Good	99	To retain the same production, we shall continue to exercise the same rigor.
4	Canteen	Excellent	100	We will Continue the same rigor to increase the output.
5	Washrooms and Drinking Water	Very Good	97	By taking the suggestions into account, our procedure will become more effective.
6	Extra-Curricular Activities	Very Good	95	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
7	Co-Curricular Activities	Very Good	96	By taking the suggestions into account, our procedure will become more effective.
8	Library	Excellent	100	We will Continue the same rigor to increase the output.
9	Transportation Availability	Good .	94	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
10	Overall Impression on the Institution	Very Good	99	To retain the same production, we shall continue to exercise the same rigor.

Principal

Sir C R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada) Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in




FEEDBACK ON FACILITIES

Name of the Stakeholder: Parent

Academic Year: 2022-2023

S. No	Questionnaire	Feedback (%)
1	Classrooms	99
2	Computer Labs	98
3	Wi-Fi and Internet Facilities	97.
4	Canteen	96
5	Washrooms and Drinking Water	95
6	Extra-Curricular Activities	98
7	Co-Curricular Activities	97
8	Library	99
9	Transportation Availability	98
10	Overall Impression on the Institution	97



IQAC Co-Coordinator



Principal Principal

Sir C R Reddy College of Engineering ELURU - 534 007



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)
Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in

IQAC

FEEDBACK ON FACILITIES

Name: Cr. Mahalakshmi	Contact No: 2416369899	

Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	g	
No		1	2	3	4	5
1	Classrooms					1
2	Computer Labs					1
3	Wi-Fi and Internet Facilities					
4	Canteen					_
5	Washrooms and Drinking Water					/
6	Extra-Curricular Activities					
7	Co-Curricular Activities					1
8	Library					/
9	Transportation Availability				./	1
10	Overall Impression on the Institution				/	

a. mahabkehm!

SIGNATURE

Principal

Sir C R Reddy College of Engineering

ELURU - 534 007

COLLEGE OF ENGLISH STATES



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)
Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in

IQAC

FEEDBACK ON FACILITIES

Name: 6.6	noPiNadh	Contact No:	8790163715

		V	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	g	
No		1	2	3	4	5
1	Classrooms					1/
2	Computer Labs				/	
3	Wi-Fi and Internet Facilities					1
4	Canteen					
5	Washrooms and Drinking Water	+				/
6	Extra-Curricular Activities					
7	Co-Curricular Activities					
8	Library					/
9	Transportation Availability				1	
10	Overall Impression on the Institution				-	1

SIGNATURE

COLLEGE OF ELURU 534 007 PRINCIPLE A SHIPE

Principal
Sir C R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)
Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in

IQAC

FEEDBACK ON FACILITIES

me: G. Lavan	ya	Contact No: 949	3474100

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	g	
No		1	2	3	4	5
1	Classrooms					
2	Computer Labs				1	
3	Wi-Fi and Internet Facilities					
4	Canteen					_
5	Washrooms and Drinking Water					V
6	Extra-Curricular Activities					/
7	Co-Curricular Activities					
8	Library					/
9	Transportation Availability					
10	Overall Impression on the Institution			12.2		00.00

COLLEGE OF ENDRY SHIPS A SHIPS A SHIPS

Principal

Sir C R Reddy College of Engineering

G. Lavaya SIGNATURE



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)
Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in

IQAC

FEEDBACK ON FACILITIES

Name: Go manikin Ra	iu Contact No:	8106977229
		1110

Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	g	
No		1	2	3	4	5
1	Classrooms					
2	Computer Labs					
3	Wi-Fi and Internet Facilities				./	
4	Canteen					
5	Washrooms and Drinking Water					
6	Extra-Curricular Activities					
7	Co-Curricular Activities					
8	Library					
9	Transportation Availability					7
10	Overall Impression on the Institution	-				

ELURU 534 007 OF ENGLISH SHIP

Sir C R Reddy College of Engineering
ELURU - 534 007

~

C. marikyon Rajer SIGNATURE



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada) Telephone No: 08812-230840, 230565, Fax: 08812-224193 Website: www.sircrrengg.ac.in

IQAC

FEEDBACK ON FACILITIES

Name: G. Swayna Latha Contac	t No: 3500 916 339	G. Swayna Latha
------------------------------	--------------------	-----------------

Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	g	
No		1	2	3	4	5
1	Classrooms					~
2	Computer Labs			102		
3	Wi-Fi and Internet Facilities					1
4	Canteen					
5	Washrooms and Drinking Water					/
6	Extra-Curricular Activities					
7	Co-Curricular Activities					~
8	Library					
9	Transportation Availability					
10	Overall Impression on the Institution					

G. Busservojlatho.

Principal Sir C/R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)
Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in

IQAC

FEEDBACK ON FACILITIES

ame: (1) Raju		Contact No: 95	05504313
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	g	
No		1	2	3	4	5
1	Classrooms					
2	Computer Labs			40		/
3	Wi-Fi and Internet Facilities					1
4	Canteen				/	
5	Washrooms and Drinking Water				1./	
6	Extra-Curricular Activities				-	V
7	Co-Curricular Activities					./
8	Library					./
9	Transportation Availability					./
10	Overall Impression on the Institution					

SIGNATURE

COLLEGE OF ELURU S34 007 WINDS

Principal
Sir C R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)

Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in



Minutes of IQAC Meeting in the Academic Year 2022-2023

Name of the Stakeholder: Parent

To bring the Feedback analysis to their attention and ask if there was a chance for meaningful adjustments to be made to the college facilities, IQAC convened a meeting with all of the in-charges and HoDs under the Head of the Institution.

Students' feedback above 90% is considered positive feedback and below that is negative feedback and we are working for the environment.

S. No	Question	Feedback /Concern	Percentage Consensus	Action to be Taken
1	Classrooms	Very Good	99	To retain the same production, we shall continue to exercise the same rigor.
2	Computer Labs	Very Good	98	We will Continue the same rigor to increase the output.
3	Wi-Fi and Internet Facilities	Very Good	97	By taking the suggestions into account, our procedure will become more effective.
4	Canteen	Very Good	96	We will Continue the same rigor to increase the output.
5	Washrooms and Drinking Water	Very Good	95	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
6	Extra-Curricular Activities	Very Good	98	We will Continue the same rigor to increase the output.
7	Co-Curricular Activities	Very Good	97	By taking the suggestions into account, our procedure will become more effective.
8	Library	Very Good	99	To retain the same production, we shall continue to exercise the same rigor.
9	Transportation Availability	Very Good	98	We will Continue the same rigor to increase the output.
10	Overall Impression on the Institution	Very Good	97	By taking the suggestions into account, our procedure will become more effective.



Principal Principal

Sir C'R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA: Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada) Telephone No: 08812-230840, 230565, Fax: 08812-224193


Website: www.sircrrengg.ac.in



FEEDBACK ON FACILITIES

Name of the Stakeholder: Staff Academic Year: 2022-2023

S. No	Questionnaire	Feedback (%)
1	Classrooms	100
2	Computer Labs	99
3	Wi-Fi and Internet Facilities	98
4	Canteen	95
5	Washrooms and Drinking Water	99
6	Extra-Curricular Activities	97
7	Co-Curricular Activities	96
8	Library	100
9	Transportation Availability	96
10	Overall Impression on the Institution	98



IQAC Co-Coordinator



Principal Principal

Sir C R Reddy College of Engineering ELURU - 534 007



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)
Telephone No: 08812-230840, 230565, Fax: 08812-224193
Website: www.sircrrengg.ac.in

IQAC

FEEDBACK ON FACILITIES

Name: B. CHIRANTEEVI Contact No: 9490418518

			/
Student	Alumni	Parent	Staff

			1.3	4	1.5
Descriptors P	oor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratir	ıg	
No		1	2	3	4	5
1	Classrooms					
2	Computer Labs					Ž
3	Wi-Fi and Internet Facilities					
4	Canteen				. /	
5	Washrooms and Drinking Water					
6	Extra-Curricular Activities					
7	Co-Curricular Activities					×
8	Library					0 0
9	Transportation Availability					
10	Overall Impression on the Institution					

SIGNATURE

COLLEGE OF ENGINE

Principal
Sir C R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada) Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in

IQAC

FEEDBACK ON FACILITIES

Name: M. Sathi Exambarresh	Contact No:	A	67	670	6010
		-			0010

Student	Alumni	Parent	Staff


Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?	Rating					
No		1	2	3	4	5	
1	Classrooms				/		
2	Computer Labs						
3	Wi-Fi and Internet Facilities				/		
4	Canteen						
5	Washrooms and Drinking Water				/	-	
6	Extra-Curricular Activities					/	
7	Co-Curricular Activities						
8	Library					/	
9	Transportation Availability					/	
10	Overall Impression on the Institution					-	

m. ruttickary

SIGNATURE

Principal Sir C R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada) Telephone No: 08812-230840, 230565, Fax: 08812-224193 Website: www.sircrrengg.ac.in

IQAC

FEEDBACK ON FACILITIES

Name: M. CANESH BABU C	Contact No: 9948027644
------------------------	------------------------


Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratin	g	
No		1	2	3	4	5
1	Classrooms					. /
2	Computer Labs					
3	Wi-Fi and Internet Facilities					
4	Canteen				/	
5	Washrooms and Drinking Water					
6	Extra-Curricular Activities	+				
7	Co-Curricular Activities			+	. /	
8	Library					
9	Transportation Availability					-
10	Overall Impression on the Institution					

SIGNATURE

Principal Sir C R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada) Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in



FEEDBACK ON FACILITIES

Name: DR KN Madhari Lot Contact No: 9030886003

Student	Alumni	Parent	Staff


Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?			Ratir	ıg	
No		1	2	3	4	5
1	Classrooms				T -	./
2	Computer Labs					1
3	Wi-Fi and Internet Facilities				1	
4	Canteen					-
5	Washrooms and Drinking Water					
6	Extra-Curricular Activities					. /
7	Co-Curricular Activities					
8	Library				1	
9	Transportation Availability				1	
10	Overall Impression on the Institution				1	

SIGNATURE

Principal

Sir C R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)
Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in

IQAC

FEEDBACK ON FACILITIES

Name: 0 € 0	Na	ge De	IN	Contact No: 9490127810
	- 6	,		1111212

Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.	How would you rate the following?	Rating					
No		1	2	3	4	5	
1	Classrooms				<u> </u>	V	
2	Computer Labs					1	
3	Wi-Fi and Internet Facilities				1	_	
4	Canteen				1		
5	Washrooms and Drinking Water					./	
6	Extra-Curricular Activities				/	_	
7	Co-Curricular Activities						
8	Library					-/	
9	Transportation Availability .					_	
10	Overall Impression on the Institution				1	_	

SIGNATURE

Principal
Sir C R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)
Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in

IQAC

FEEDBACK ON FACILITIES

12/2	1	+		
Name:	Lama	Lakohnii E	Contact No:	9542113848

Student	Alumni	Parent	Staff

Scale	1	2	3	4	5	
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent	

S.	How would you rate the following?	Rating				
No		1	2	3	4	5
1	Classrooms		_			- 5
2	Computer Labs					./
3	Wi-Fi and Internet Facilities					
4	Canteen					<u> </u>
5	Washrooms and Drinking Water				1	
6	Extra-Curricular Activities				-	
7	Co-Curricular Activities					_
8	Library					_
9	Transportation Availability					
10	Overall Impression on the Institution					

SIGNATURE

COLLEGE OF ENGLED STATE OF ENG

Principal
Sir C R Reddy College of Engineering



ELURU-534007, ELURUDISTRICT, ANDHRA PRADESH, INDIA

(Accredited by NBA; Approved by AICTE, New Delhi & Permanently affiliated to JNTUK, Kakinada)

Telephone No: 08812-230840, 230565, Fax: 08812-224193

Website: www.sircrrengg.ac.in



Minutes of IQAC Meeting in the Academic Year 2022-2023

Name of the Stakeholder: Staff

To bring the Feedback analysis to their attention and ask if there was a chance for meaningful adjustments to be made to the college facilities, IQAC convened a meeting with all of the in-charges and HoDs under the Head of the Institution.

Students' feedback above 90% is considered positive feedback and below that is negative feedback and we are working for the environment.

S. No	Question	Feedback /Concern	Percentage Consensus	Action to be Taken			
1	Classrooms	Excellent	100	To retain the same production, we shall continue to exercise the same rigor.			
2	Computer Labs	Very Good	99	We will Continue the same rigor increase the output.			
3	Wi-Fi and Internet Facilities	Very Good	98	We will Continue the same rigor to increase the output.			
4	Canteen	Very Good	95	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.			
5	Washrooms and Drinking Water	Very Good	99	We will Continue the same rigor to increase the output.			
6	Extra-Curricular Activities	Very Good	97	By taking the suggestions into account, our procedure will become more effective.			
7	Co-Curricular Activities	Very Good	96	By taking the suggestions into account, our procedure will become more effective.			
8	Library	Excellent	100	To retain the same production, we shall continue to exercise the same rigor.			
9	Transportation Availability	Very Good	96	By taking the suggestions into account, our procedure will become more effective.			
10	Overall Impression on the Institution	Very Good	98	We will Continue the same rigor to increase the output.			

Principal Principal

Sir C R Reddy College of Engineering